

In the Claims

SUB A17

15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995

1. A system for remote interactive access to data, comprising:  
a user interface;  
a reporting server, communicating with the user interface, the reporting server being  
5 configured to respond to user input to manipulate at least one report generated from at least one  
data source by accessing an image of the at least one report, and generating present results to  
present via the user interface.
2. The system of claim 1, wherein the image of the at least one report comprises an image  
stored in at least one of an electronic memory and a storage medium of the reporting server.
3. The system of claim 1, further comprising a network server, the reporting server  
communicating with the user interface via the network server.
4. The system of claim 3, wherein the network server comprises a Web server.
5. The system of claim 4, wherein the Web server is configured to-
  - i) translate the user input received via the user interface via first network  
enabled code to second network enabled code;
  - ii) access the at least one data resource via the second network enabled code;
  - and
  - iii) present results to the user via the first network enabled code.
6. The system of claim 5, wherein the first network enabled code comprises at least HTML  
code.
7. The system of claim 5, wherein the second network enabled code comprises at least XML  
code.

8. The system of claim 5, wherein the user interface comprises a Web browser.
9. The system of claim 1, wherein the at least one data source comprises at least one OLAP-enabled database.
10. The system of claim 1, wherein the results presented to the user are modifiable.
- 5 11. The system of claim 10, wherein the modifications to the results comprise at least one of a table pivot, a pageby, a recalculated sum and a recalculated sort.
12. The system of claim 11, wherein the modifications to the results are activated by at least one of a URL link and a query box.
13. A method for remote interactive access to data, comprising:
- 10 a) receiving user input via a user interface;
- b) responding to the user input to manipulate at least one report generated from at least one data source by accessing an image of the at least one report, and generating results to present via the user interface.
14. The method of claim 13, further comprising a step c) of storing the image of the at least one report in at least one of an electronic memory and a storage medium of a reporting server.
15. The method of claim 1, further comprising a step of d) communicating with the user interface via a network server.
16. The method of claim 15, wherein the network server comprises a Web server.
17. The method of claim 16, wherein the Web server is configured to-
- 20 i) translate the user input received via the user interface via first network enabled code to second network enabled code;
- ii) access the at least one data resource via the second network enabled code;
- and

iii) present results to the user via the first network enabled code.

18. The method of claim 17, wherein the first network enabled code comprises at least HTML code.

19. The method of claim 17, wherein the second network enabled code comprises at least XML code.

20. The method of claim 17, wherein the user interface comprises a Web browser.

21. The method of claim 13, wherein the at least one data source comprises at least one OLAP-enabled database.

22. The method of claim 13, wherein the results presented to the user are modifiable.

23. The method of claim 22, further comprising a step of e) modifying the results by executing at least one of a table pivot, a pageby, a recalculated sum and a recalculated sort.

24. The method of claim 23, further comprising a step of f) modifying the results by activating by at least one of a URL link and a query box.

25. A machine readable medium, the machine readable medium being readable to execute a method for remote interactive access to data, the method comprising:

a) receiving user input via a user interface;

b) responding to the user input to manipulate at least one report generated from at least one data source by accessing an image of the at least one report, and generating results to present via the user interface.

26. The medium of claim 25, wherein the method further comprises a step of c) storing an image of the at least one report in at least one of an electronic memory and a storage medium of a reporting server.

ADD A27